

SwissSign CPR TLS

Certificate, CRL and OCSP Profiles for TLS Certificates

Document Type:	Certificate, CRL and OCSP Profiles
OID:	n/a
Author:	Information Security and Compliance
Classification:	Attribution-NoDerivs (CC-BY-ND) 4.0
Applicability:	Global
Owner:	CEO
Issue Date:	03.04.2024
Version:	8.0
Obsoletes:	7.0, 24.10.2023
Storage:	SwissSign Document Repository
Distribution:	Global
Status:	Released

Disclaimer: The electronic version of this document and all its stipulations are considered binding if saved in Adobe PDF Format and signed by two legal representatives of SwissSign. All other copies and media are null and void.

Version Control

Date	Version	Comment	Author
14.06.2021	1.0	Initial version	Michael Günther
11.10.2021	2.0	Adding TLS Root	Michael Günther
08.11.2021	3.0	Including auditor feedback	Michael Günther
01.07.2022	4.0	Adding new CA (selfsigned Root, Cross & ICAs) and enduser profiles	Adrian Müller, Michael Günther
30.09.2022	5.0	Updating OCSP certificate profile Specifying revocation reason codes & SCTs in OCSP response.	Adrian Müller, Roman Fischer
24.07.2023	6.0	Removing old CA certificates; adding chapters 2.5 and 2.6; detailing SCT list	Adrian Mueller
24.10.2023	7.0	Correct JurisdictionStateOrProvinceName	Adrian Müller
03.04.2024	8.0	Deletion of CA (SwissSign EV Gold CA 2014-G22 and SwissSign Sever Gold CA 2014 - G22)	Raffaela Achermann, Adrian Müller

Authorization

Date	Approved by	Approved by	Version
11.06.2021	Michael Günther	Markus Naef	1.0
07.10.2021	Michael Günther	Markus Naef	2.0
05.11.2021	Michael Günther	Markus Naef	3.0
01.07.2022	Michael Günther	Michael Widmer	4.0
30.09.2022	Roman Fischer	Michael Widmer	5.0
24.07.2023	Michael Günther	Markus Venetz	6.0
24.10.2023	Michael Günther	Johannes Termin	7.0
03.04.2024	Michael Günther	Johannes Termin	8.0

digital signature

digital signature

Table of Contents

1.	Introduction	5
1.1	Terms and abbreviations	5
2.	General profiles	6
2.1	Root CA.....	6
2.2	Issuing CA.....	6
2.3	Algorithm object identifiers	7
2.4	Key sizes	7
2.5	Distinguished Name structure and encoding.....	8
2.6	Pre-certificate and final profiles	8
3.	Certificate Profiles of the SwissSign Gold CA - G2 PKI.....	9
3.1	Root CA.....	9
3.2	End-entity certificates	20
4.	Certificate Profiles of the SwissSign Silver CA - G2 PKI	30
4.1	Root CA.....	30
4.2	Issuing CAs	31
4.3	End-entity certificates	32
5.	OCSP Profile.....	33
5.1	OCSP Response Profile.....	33
5.2	OCSP Responder Certificate	35
6.	CRL Profile.....	36
7.	References	37

1. Introduction

This document describes profiles of the TLS certificates issued by the SwissSign Issuing CAs as described in the CPS [5] as well as OCSP responses and CRL profiles related to these certificates.

This document complements Certificate Policy [1], [2] and [3] and Certification Practice Statement [5].

SwissSign PKI hierarchy description can be found in chapter 1.1 of CPS [5].

1.1 Terms and abbreviations

Refer to the TSPS [6].

2. General profiles

2.1 Root CA

The Root CA issued **after** the effective date of this CPR and the corresponding CP and CPS **does not** include the following certificate extensions:

- Certificate Policies
- Extended Key Usage
- Name Constraints
- CRL Distribution Points
- Authority Information Access

The Root CA profile **after** effective date of this CPR and the corresponding CP and CPS is the following:

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number		Unique serial number of the certificate
SignatureAlgorithm		
Issuer Distinguished name		Unique issuer distinguished name of the certificate
Subject Distinguished name		Unique subject distinguished name of the certificate
Valid from		Start of certificate validity.
Valid to		End of certificate validity.
Basic Constraints	CA: TRUE	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier		(mandatory)
Authority Key Identifier		(optional)
Extended Key Usage		Not allowed in the Root CA
Name Constraints		Not allowed in the Root CA
Certificate Policies		Not allowed in the Root CA
CRL Distribution Points		Not allowed in the Root CA
Authority Information Access		Not allowed in the Root CA

2.2 Issuing CA

The Issuing CA issued **before** the effective date of the initial version of this CPR and the corresponding CP and CPS **does not** include the following certificate extensions:

- Extended Key Usage,
- Name Constraints.

The Issuing CA profile after effective date of this CPR and the corresponding CP and CPS is the following:

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number		Unique serial number of the certificate
SignatureAlgorithm		
Issuer Distinguished name		Unique issuer distinguished name of the certificate
Subject Distinguished name		Unique subject distinguished name of the certificate
Valid from		Start of certificate validity.
Valid to		End of certificate validity.
Basic Constraints	CA: TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier		(mandatory)
Authority Key Identifier		(mandatory)
Extended Key Usage	id-kp-serverAuth, id-kp-clientAuth	(mandatory)
Name Constraints		(optional)
Certificate Policies		(mandatory)
CRL Distribution Points		(mandatory)
Authority Information Access		(mandatory)

2.3 Algorithm object identifiers

The algorithms with OIDs supported by this CA and its subsidiaries are:

Algorithm	Object Identifier
SHA1withRSAEncryption	1.2.840.113549.1.1.5 (phase out)
SHA256withRSAEncryption	1.2.840.113549.1.1.11
RSASSA-PSS	1.2.840.113549.1.1.10
rsaEncryption	1.2.840.113549.1.1.4

2.4 Key sizes

All certificates contain an RSA public key whose modulus has a length of 2048 bit or higher and is divisible by 8.

2.5 Distinguished Name structure and encoding

Every Distinguished Name (DN) described in this document is a sequence of Relative DNs (RDNs) where every RDN contains exactly one naming attribute. All attributes are encoded according to the requirements set forth in

- X.509,
- RFC5280 and
- the TLS BR, chapter 7

2.6 Pre-certificate and final profiles

For every TLS certificate a pre-certificate is issued, sent to several CT-logs and upon receipt of the Signed Certificate Timestamps (SCTs) the corresponding final certificate is issued. A pre-certificate is issued by the same CA that issues the final certificate. A pre-certificate differs as follows from the final certificate:

- It contains a critical extension "Precertificate Poison" (OID 1.3.6.1.4.1.11129.2.4.3).
- It does not contain the SCT list extension (OID 1.3.6.1.4.1.11129.2.4.2) while the SCT list extension is included in every final end-entity certificate

3. Certificate Profiles of the SwissSign Gold CA - G2 PKI

The following certificate profiles are compiled in accordance with ITU-T X.509 version 3, IETF RFC 5280 [10], clause 6.6 of ETSI EN 319 411-1 [7], clause 7 of BRG [8] and clause 9 of EVCG [9].

3.1 Root CA

3.1.1 SwissSign Gold CA - G2

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	BB401C43F55E4FB0	Unique serial number of the certificate
SignatureAlgorithm	sha1WithRSAEncryption	
Issuer Distinguished name	CN = SwissSign Gold CA - G2 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN = SwissSign Gold CA - G2 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	25 Oct 2006 08:30:35 UTC	Start of certificate validity.
Valid to	25 Oct 2036 08:30:35 UTC	End of certificate validity.
Basic Constraints	CA: TRUE	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	5B257B96A465517EB839F3C078665EE83AE7F0EE	
Authority Key Identifier	5B257B96A465517EB839F3C078665EE83AE7F0EE	
Extended Key Usage	not included in this Root CA certificate	
Name Constraints	not included in this Root CA certificate	
Certificate Policies	Policy OID: 2.16.756.1.89.1.2.1.1 CPSURI: http://repository.swissign.com/	
CRL Distribution Points	not included in this Root CA certificate	
Authority Information Access	not included in this Root CA certificate	

The Root CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	D8C5388AB7301B1B6ED47AE645253A6F9F1A2761
SHA256 Fingerprint	62DD0BE9B9F50A163EA0F8E75C053B1ECA57EA55C8688F647C6881F2C8357B95

3.1.2 SwissSign RSA TLS Root CA 2021 - 1 (Self-Signed)

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	576ABDFAC05A058B3F7C65E39BA53E	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign RSA TLS Root CA 2021 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS Root CA 2021 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	02 Aug 2021 11:20:23 UTC	Start of certificate validity.
Valid to	27 Jul 2046 11:20:23 UTC	End of certificate validity.
Basic Constraints	CA: TRUE	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	80F38FD9FC82688153C1E48B97501EA9F9C61CB5	
Authority Key Identifier	80F38FD9FC82688153C1E48B97501EA9F9C61CB5	
Extended Key Usage	not included in this Root CA certificate	
Name Constraints	not included in this Root CA certificate	
Certificate Policies	not included in this Root CA certificate	
CRL Distribution Points	not included in this Root CA certificate	
Authority Information Access	not included in this Root CA certificate	

The Root CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	7F12F34C13496099F94918CBCCE69A65EA72A317
SHA256 Fingerprint	7EB8F631AD1C8408E9716AE920BCD677973B059E990AED01DDA5E1C5970B402C

3.1.3 SwissSign RSA TLS Root CA 2021-1 (Cross)

Please note: No new CA certificates are issued under this CA. Providing revocation services and CRL only

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	00A96DDC39D36EBF15A4993FD028B476	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign Gold CA - G2 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS Root CA 2021 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	03 Aug 2021 13:47:19 GMT	Start of certificate validity.
Valid to	23 Oct 2036 13:47:19 GMT	End of certificate validity.
Basic Constraints	CA: TRUE	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	80F38FD9FC82688153C1E48B97501EA9F9C61CB5	
Authority Key Identifier	5B257B96A465517EB839F3C078665EE83AE7F0EE	
Extended Key Usage	not included in this Root CA certificate	
Name Constraints	not included in this Root CA certificate	
Certificate Policies	not included in this Root CA certificate	
CRL Distribution Points	http://crl.swissign.net/5B257B96A465517EB839F3C078665EE83AE7F0EE ldap://directory.swissign.net/CN=5B257B96A465517EB839F3C078665EE83AE7F0EE%2CO=SwissSign%2CC=CH?certificateRevocationList?base?objectClass=cRLDistributionPoint	
Authority Information Access	not included in this Root CA certificate	

The Root CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	F0C336C061049C7EB7E8B551C36FA5C487C051E6
SHA256 Fingerprint	4E5666DAC579161CF00B8D87046D074D6C9C0C0E3994C653BE57998736C55D93

3.1.4 SwissSign RSA TLS Root CA 2022 - 1 (Self-signed)

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	43FA0C5F4E1B801844EFD1B44F351F44F480EDCB	Unique serial number of the certificate
SignatureAlgorithm	sha256WithRSAEncryption	
Issuer Distinguished name	CN = SwissSign RSA TLS Root CA 2022 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN = SwissSign RSA TLS Root CA 2022 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	08 Jun 2022 11:08:22 UTC	Start of certificate validity.
Valid to	08 Jun 2047 11:08:22 UTC	End of certificate validity.
Basic Constraints	CA: TRUE	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	6F8E628B9343B0E140F6A7C3FDF10FB80F1538A5	
Authority Key Identifier	6F8E628B9343B0E140F6A7C3FDF10FB80F1538A5	
Extended Key Usage	not included in this Root CA certificate	
Name Constraints	not included in this Root CA certificate	
Certificate Policies	not included in this Root CA certificate	
CRL Distribution Points	not included in this Root CA certificate	
Authority Information Access	not included in this Root CA certificate	

The Root CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	81340ABE4CCDCECCE77DCC8AD457E245A0775DCE
SHA256 Fingerprint	193144F431E0FDDB740717D4DE926A571133884B4360D30E272913CBE660CE41

3.1.5 SwissSign RSA TLS Root CA 2022 – 1 (Cross)

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	68 6F 43 B4 DC 40 4C 06 7E 23 0E 3F AF C3 2B	Unique serial number of the certificate
SignatureAlgorithm	sha256WithRSAEncryption	
Issuer Distinguished name	CN = SwissSign Gold CA - G2 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN = SwissSign RSA TLS Root CA 2022 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	28 Jun 2022 11:27:11 UTC	Start of certificate validity.
Valid to	22 Sep 2036 11:27:11 UTC	End of certificate validity.
Basic Constraints	CA: TRUE	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	6F8E628B9343B0E140F6A7C3FDF10FB80F1538A5	
Authority Key Identifier	5B257B96A465517EB839F3C078665EE83AE7F0EE	
Extended Key Usage	not included in this Cross certificate	
Name Constraints	not included in this Cross certificate	
Certificate Policies	Policy OID: 2.5.29.32.0	OID 2.5.29.32.0 stands for <i>anyPolicy</i> , see RFC5280, chapter 4.2.1.4.
CRL Distribution Points	http://crl.swissign.net/5B257B96A465517EB839F3C078665EE83AE7F0EE	http-URL for CRL-download
Authority Information Access	not included in this Cross certificate	

The Cross certificate is identified via the following fingerprints:

SHA1 Fingerprint	972B0E2FDBAA76A21DF4F4390B714F64F1D78686
SHA256 Fingerprint	288B4A9F605B09B999B215850825C81F9B537DBAF23664ACA98BF6BA98EDC379

3.1.6 SwissSign RSA TLS DV ICA 2021 - 1

Please note: No new end-user certificates are issued under this CA. Providing revocation services and CRL and OCSP only

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	00DE5886BE180A81FF5679BFB09AA767	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign RSA TLS Root CA 2021 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS DV ICA 2021 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	03 Aug 2021 18:37:34 UTC	Start of certificate validity.
Valid to	30 Jul 2036 18:37:34 UTC	End of certificate validity.
Basic Constraints	CA:TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	3C9E527903636F4F9C811BD328700C245AEAA587	
Authority Key Identifier	80F38FD9FC82688153C1E48B97501EA9F9C61CB5	
Extended Key Usage	id-kp-serverAuth, id-kp-clientAuth	
Name Constraints	not included in this Issuing CA certificate	
Certificate Policies	Policy OID: 2.16.756.1.89.2.1.1 Policy OID: 2.23.140.1.2.1 Policy OID: 0.4.0.2042.1.6	
CRL Distribution Points	http://crl.swissign.net/80F38FD9FC82688153C1E48B97501EA9F9C61CB5 ldap://directory.swissign.net/CN=80F38FD9FC82688153C1E48B97501EA9F9C61CB5%2CO=SwissSign%2CC=CH?certificateRevocationList?base?objectClass=cRLDistributionPoint	
Authority Information Access	caissuers	http://swissign.net/cgi-bin/authority/download/80F38FD9FC82688153C1E48B97501EA9F9C61CB5
	OCSP	not included in this Issuing CA certificate

The CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	65AC561FAAFB7DB1D08EDC6A1F9194DB6028D388
SHA256 Fingerprint	0E55D0985482BBB7C490EBA147C5A021A2C2A2089D3A8AF57D01EDD540CA5A45

3.1.7 SwissSign RSA TLS OV ICA 2021 – 1

Please note: No new end-user certificates are issued under this CA. Providing Revocation services and CRL and OCSP only

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	00F4AC0694A66BDEB59851433B9B02BE	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign RSA TLS Root CA 2021 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS OV ICA 2021 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	3 Aug 2021 18:50:06 UTC	Start of certificate validity.
Valid to	30 Jul 2036 18:50:06 UTC	End of certificate validity.
Basic Constraints	CA:TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	ACD03AC2C25755916911CC706A59388A8CAC9C3D	
Authority Key Identifier	80F38FD9FC82688153C1E48B97501EA9F9C61CB5	
Extended Key Usage	id-kp-serverAuth id-kp-clientAuth	
Name Constraints	not included in this Issuing CA certificate	
Certificate Policies	Policy OID: 2.16.756.1.89.2.1.2 Policy OID: 2.23.140.1.2.2 Policy OID: 0.4.0.2042.1.7	
CRL Distribution Points	http://crl.swissign.net/80F38FD9FC82688153C1E48B97501EA9F9C61CB5 http://directory.swissign.net/CN=80F38FD9FC82688153C1E48B97501EA9F9C61CB5%2CO=SwissSign%2CC=CH?certificateRevocationList?base?objectClass=cRLDistributionPoint	
Authority Information Access	caissuers	http://swissign.net/cgi-bin/authority/download/80F38FD9FC82688153C1E48B97501EA9F9C61CB5
	OCSP	not included in this Issuing CA certificate

The CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	E75D19EE4E60949BC3B4F150AF40281B3A401E25
SHA256 Fingerprint	B3679FDDDC644858B97DBB67DE778DD56C6E5D53A96B70E85AB509D09868186D

3.1.8 SwissSign RSA TLS EV ICA 2021-1

Please note: No new end-user certificates are issued under this CA. Providing revocation services and CRL and OCSP only

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	00CABBCFA7B09D6D87012AD5E9755255	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign RSA TLS Root CA 2021 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS EV ICA 2021 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	03 Aug 2021 18:47:42 UTC	Start of certificate validity.
Valid to	30 Jul 2036 18:47:43 UTC	End of certificate validity.
Basic Constraints	CA:TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	DA34D48E1023F46A2D6CB41FF32811DE5E01C4DE	
Authority Key Identifier	80F38FD9FC82688153C1E48B97501EA9F9C61CB5	
Extended Key Usage	id-kp-serverAuth id-kp-clientAuth	
Name Constraints	not included in this Issuing CA certificate	
Certificate Policies	Policy OID: 2.16.756.1.89.2.1.3 Policy OID: 2.23.140.1.1 Policy OID: 0.4.0.2042.1.4	
CRL Distribution Points	http://crl.swissign.net/80F38FD9FC82688153C1E48B97501EA9F9C61CB5 ldap://directory.swissign.net/CN=80F38FD9FC82688153C1E48B97501EA9F9C61CB5%2CO=SwissSign%2CC=CH?certificateRevocationList?base?objectClass=cRLDistributionPoint	
Authority Information Access	caissuers	http://swissign.net/cgi-bin/authority/download/80F38FD9FC82688153C1E48B97501EA9F9C61CB5
	OCSP	not included in this Issuing CA certificate

The CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	B09A53CC457049555833391027977ECA25DE1139
SHA256 Fingerprint	39CB199F41C6A82AAD83C2810127596D02CC4EC766D0DFE31B01D50D1774749F

3.1.9 SwissSign RSA TLS DV ICA 2022-1

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	75F85DDB06B0FA815891EA83C5CCFCE5578C190F	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign RSA TLS Root CA 2022 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS DV ICA 2022 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	29 Jun 2022 09:27:46 UTC	Start of certificate validity.
Valid to	29 Jun 2036 09:27:46 UTC	End of certificate validity.
Basic Constraints	CA:TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	EBBD7F49938CC9EEECA2BAF71CD267F083B1EADE	
Authority Key Identifier	6F8E628B9343B0E140F6A7C3FDF10FB80F1538A5	
Extended Key Usage	id-kp-serverAuth id-kp-clientAuth	
Name Constraints	not included in this Issuing CA certificate	
Certificate Policies	2.23.140.1.2.1 (CABF DV) 0.4.0.2042.1.6 (ETSI DVCP) 2.16.756.1.89.2.1.1 (SwissSign DVCP)	
CRL Distribution Points	http://crl.swissign.ch/cdp-9661c29f-9121-4f46-acd8-ead4a22f7160	
Authority Information Access	caIssuers	http://aia.swissign.ch/air-aeff374d-0f7a-4c55-a034-1440290cfa32
	OCSP	not included in this Issuing CA certificate

The CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	333150010FA78F700BC061323C679938CFC64BCB
SHA256 Fingerprint	B400250EF2B09B30E9AAA3E2C20017B8911BD039DF8AF54949C60AED5BF697D4

3.1.10 SwissSign RSA TLS OV ICA 2022-1

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	6AEC7C44417B9B441FB97634CBC6A780B0041E01	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign RSA TLS Root CA 2022 – 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS OV ICA 2022 – 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	29 Jun 2022 09:34:30 UTC	Start of certificate validity.
Valid to	29 Jun 2036 09:34:30 UTC	End of certificate validity.
Basic Constraints	CA:TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	7C6F0A6F130FD98C246F2634F35C6B436DB723B6	
Authority Key Identifier	6F8E628B9343B0E140F6A7C3FDF10FB80F1538A5	
Extended Key Usage	id-kp-serverAuth id-kp-clientAuth	
Name Constraints	not included in this Issuing CA certificate	
Certificate Policies	2.23.140.1.2.2 (CABF OV) 0.4.0.2042.1.7 (ETSI OVCP) 2.16.756.1.89.2.1.2 (SwissSign OVCP)	
CRL Distribution Points	http://crl.swissign.ch/cdp-9661c29f-9121-4f46-acd8-ead4a22f7160	
Authority Information Access	caIssuers	http://aia.swissign.ch/air-aeff374d-0f7a-4c55-a034-1440290cfa32
	OCSP	not included in this Issuing CA certificate

The CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	37271FFBC6EECF840CEB32B8A7AEED6DCBD6A7F0
SHA256 Fingerprint	332F9EAE3650C77454AF14FE1A621A2498FD128773662890A0D12835B3436E23

3.1.11 SwissSign RSA TLS EV ICA 2022-1

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	2DAE0FA23A0C385FFBF395C0D903642D14184D2E	Unique serial number of the certificate
SignatureAlgorithm	Sha256WithRSAEncryption	
Issuer Distinguished name	CN=SwissSign RSA TLS Root CA 2022 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN=SwissSign RSA TLS EV ICA 2022 - 1 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	29 Jun 2022 09:30:47 UTC	Start of certificate validity.
Valid to	29 Jun 2036 09:30:47 UTC	End of certificate validity.
Basic Constraints	CA:TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	4952DF308692595F349C254824ABC0EBD106F2D6	
Authority Key Identifier	6F8E628B9343B0E140F6A7C3FDF10FB80F1538A5	
Extended Key Usage	id-kp-serverAuth id-kp-clientAuth	
Name Constraints	not included in this Issuing CA certificate	
Certificate Policies	2.23.140.1.1 (CABF EV) 0.4.0.2042.1.4 (ETSI EVCP) 2.16.756.1.89.2.1.3 (SwissSign EVCP)	
CRL Distribution Points	http://crl.swissign.ch/cdp-9661c29f-9121-4f46-acd8-ead4a22f7160	
Authority Information Access	caIssuers	http://aia.swissign.ch/air-aeff374d-0f7a-4c55-a034-1440290cfa32
	OCSP	not included in this Issuing CA certificate

The CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	CD3D43200F279CC95EA6BD955ACB06ED28090B77
SHA256 Fingerprint	6AE61943BF4B4FCC8F08ED5044D1C97AA0AD40E1BCFE1BF1B530BD3B151B364D

3.2 End-entity certificates

3.2.1 TLS Extended Validation Certificate (EVCP) issued by SwissSign RSA TLS EV ICA 2021 – 1 (EVCP)

Field/Extension	Values	Comment
Version	Version 3	Certificate format version
SignatureAlgorithm	SHA256withRSAEncryption	
Issuer Name	CN = SwissSign RSA TLS EV ICA 2021 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject DN		Unique subject distinguished name of the certificate
	Common Name (CN)	FQDN (mandatory)
	SerialNumber	Unique Registration Number as stated in certificate application OR "Government Entity" (mandatory)
	Organisational Unit (OU)	The name of organisational unit as described in subscriber application. Before 1 September 2022: optional From 1 September 2022 onwards: Forbidden
	OrganisationName (O)	Subject (organisation) name as stated in certificate application. (mandatory)
	Street	Name of street as described in the certificate application. (optional)
	PostalCode	Postal code as described in the certificate application. (optional)
	LocalityName (L)	Name of the locality as described in the certificate application (mandatory)
	State (ST)	State or province name or code as described in certificate application and in accordance with ISO 3166-2 (optional)
	Country (C)	Country code in accordance with ISO 3166-1 (mandatory)
	Business Category (BC)	One of the following options: "Private Organization", "Government Entity", "Business Entity", or "Non-Commercial Entity" as described in certificate application. (mandatory)
	Jurisdiction-LocalityName (joiL)	Name of the locality as described in the certificate application (optional)
	Jurisdiction-StateOr-ProvinceName (joiST)	State or province name in accordance with ISO 3166-2. (optional)
	Jurisdiction-CountryName (joiC)	Country code in accordance with ISO 3166-1. (mandatory)

Valid from		Start of certificate validity.	
Valid to		End of certificate validity.	
Authority Key Identifier	DA34D48E1023F46A2D6CB41FF32811DE5E01C4DE	(mandatory)	
Subject Key Identifier	SHA-1 hash value of Public Key according to RFC5280 chapter 4.2.1.2	(mandatory)	
Key Usage	digitalSignature, keyEncipherment	(mandatory)	
Extended Key Usage	serverAuth, clientAuth	(mandatory)	
Subject Alternative Name	At least subject FQDN	(mandatory) 1 to 200 Alternative DNS names. Wildcard are not allowed	
Certificate Policies	Policy OID: 2.16.756.1.89.2.1.3 CPSURI: https://repository.swisssign.com/SwissSign_CPS_TLS.pdf Policy OID: 0.4.0.2042.1.4 (EVCP) Policy OID: 2.23.140.1.1 (CAB-EV)	(mandatory)	
CRL Distribution Points	http://crl.swisssign.net/DA34D48E1023F46A2D6CB41FF32811DE5E01C4DE ldap://directory.swisssign.net/CN=DA34D48E1023F46A2D6CB41FF32811DE5E01C4DE,O=SwissSign,C=CH?certificateRevocationList?base?objectClass=cRLDistributionPoint	(mandatory) URLs of the CRL Distribution points (LDAP and/or HTTP)	
Authority Information Access	caIssuers	http://swisssign.net/cgi-bin/authority/download/DA34D48E1023F46A2D6CB41FF32811DE5E01C4DE	(mandatory)
	OCSP	http://ocsp.swisssign.net/DA34D48E1023F46A2D6CB41FF32811DE5E01C4DE	(mandatory)
SCT list	List of Signed Certificate Timestamps (SCT)	SCTs are provided by the CT-logs accessed.	

3.2.2 TLS Extended Validation Certificate (EVCP) issued by SwissSign RSA TLS EV ICA 2022 – 1 (EVCP)

Field/Extension	Values	Comment
Version	Version 3	Certificate format version
SignatureAlgorithm	SHA256withRSAEncryption	
Issuer Name	CN = SwissSign RSA TLS EV ICA 2022 - 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject DN		Unique subject distinguished name of the certificate
	Common Name (CN)	FQDN (mandatory)
	SerialNumber	Unique Registration Number as stated in certificate application OR "Government Entity" (mandatory)
	Organization-Name (O)	Subject organisation name as stated in certificate application. (mandatory)
	Street	Name of street as described in the certificate application. (optional)
	PostalCode	Postal code as described in the certificate application. (optional)
	LocalityName (L)	Name of the locality as described in the certificate application (optional; mandatory if ST-attribute is missing)
	StateOr-Province (ST)	State or province name or code as described in certificate application and in accordance with ISO 3166-2 (optional; mandatory if L-attribute is missing)
	Country (C)	Country code in accordance with ISO 3166-1 (mandatory)
	Business Category (BC)	One of the following options: "Private Organization", "Government Entity", "Business Entity", or "Non-Commercial Entity" as described in certificate application. (mandatory)
	Jurisdiction-LocalityName (joiL)	Name of the locality as described in the certificate application (optional)
	Jurisdiction-StateOr-ProvinceName (joiST)	State or province name in accordance with ISO 3166-2. (optional)
	Jurisdiction-CountryName (joiC)	Country code in accordance with ISO 3166-1. (mandatory)
Valid from		Start of certificate validity.
Valid to		End of certificate validity.
Authority Key Identifier	4952DF308692595F349C254824ABC0EBD106F2D6	(mandatory)
Subject Key Identifier	SHA-1 hash value of Public Key according to RFC5280 chapter 4.2.1.2	(mandatory)

Key Usage	digitalSignature, keyEncipherment		(mandatory)
Extended Key Usage	serverAuth, clientAuth		(mandatory)
Subject Alternative Name	At least subject FQDN		(mandatory) 1 to n DNS names; wildcard entries are not allowed.
Certificate Policies	Policy OID: 2.23.140.1.1 (CABF EV) Policy OID: 0.4.0.2042.1.4 (ETSI EVCP) Policy OID: 2.16.756.1.89.2.1.3 (SwissSign EVCP) CPSURI: https://repository.swisssign.com/SwissSign_CPS_TLS.pdf		(mandatory)
CRL Distribution Points	http://crl.swisssign.ch/cdp-9fdd910e-b9ff-4b2f-be38-2e93708c1b36		(mandatory) HTTP-URL of the CRL Distribution point
Authority Information Access	caIssuers	http://aja.swisssign.ch/air-20350159-813d-4532-b988-8519eca57650	(mandatory)
	OCSP	http://ocsp.swisssign.ch/sign/ocs-aacced5-66e8-4069-9b1b-fd29ab73efec	(mandatory)
SCT list	List of Signed Certificate Timestamps (SCT)		SCTs are provided by the CT-logs accessed.

3.2.3 TLS Organization Validated Certificates (OVCP) issued by SwissSign RSA TLS OV ICA 2021 - 1

Field/Extension	Values	Comment
Version	Version 3	Certificate format version
SignatureAlgorithm	SHA256withRSAEncryption	
Issuer Name	CN = SwissSign RSA TLS OV ICA 2021 – 1 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject DN		Unique subject distinguished name of the certificate
	Common Name (CN)	FQDN (mandatory)
	Organisational Unit (OU)	The name of organisational unit as described in subscriber application. Before 1 September 2022: optional From 1 September 2022 onwards: Forbidden
	Organisation-Name (O)	Subject (organisation) name as stated in certificate application. (mandatory)
	LocalityName (L)	Name of the locality of the subject as described in the certificate application (optional)
	State (ST)	State or province name or code of the subject as described in certificate application and in accordance with ISO 3166-2 [15] (optional)
	Country (C)	Country code of the Subscriber in accordance with ISO 3166-1 [15] (mandatory)
Valid from		Start of certificate validity.
Valid to		End of certificate validity.
Authority Key Identifier	ACD03AC2C25755916911CC706A59388A8CAC9C3D	(mandatory)
Subject Key Identifier	SHA-1 hash value of Public Key according to RFC5280 chapter 4.2.1.2	(mandatory)
Key Usage	digitalSignature, keyEncipherment	(mandatory)
Extended Key Usage	serverAuth, clientAuth	(mandatory)
Subject Alternative Name	At least subject FQDN	(mandatory) 1 to 200 Alternative DNS names. Wildcard defined as *.FQDN
Certificate Policies	Policy OID: 2.16.756.1.89.2.1.2 CPSUri: https://repository.swissign.com/SwissSign_CPS_TLS.pdf Policy OID: 0.4.0.2042.1.7 (OVCP) Policy OID: 2.23.140.1.2.2 (CAB-OV)	(mandatory)
CRL Distribution Points	http://crl.swissign.net/ACD03AC2C25755916911CC706A59388A8CAC9C3D ldap://directory.swissign.net/CN=ACD03AC2C25755916911CC706A59388A8CAC9C3D=SwissSign%2CC=CH?certificateRevocationList?base?objectClass=cRLDistributionPoint	(mandatory) URLs of the CRL Distribution points (LDAP and/or HTTP)

Authority Information Access	caissuers	http://swisssign.net/cgi-bin/authority/download/ACD03AC2C25755916911CC706A59388A8CAC9C3D	(mandatory)
	OCSP	http://ocsp.swisssign.net/ACD03AC2C25755916911CC706A59388A8CAC9C3D	(mandatory)
SCT list	List of Signed Certificate Timestamps (SCT)		SCTs are provided by the CT-logs accessed.

3.2.4 TLS Organization Validated Certificates (OVCP) issued by SwissSign RSA TLS OV ICA 2022 - 1

Field/Extension	Values		Comment
Version	Version 3		Certificate format version
SignatureAlgorithm	SHA256withRSAEncryption		
Issuer Name	CN = SwissSign RSA TLS OV ICA 2022 - 1 O = SwissSign AG C = CH		Unique issuer distinguished name of the certificate
Subject DN			Unique subject distinguished name of the certificate
	Common Name (CN)	FQDN	(mandatory)
	Organisation-Name (O)	Subject (organisation) name as stated in certificate application.	(mandatory)
	LocalityName (L)	Name of the locality of the subject as described in the certificate application	(optional; mandatory if ST-attribute is missing)
	StateOr-Province (ST)	State or province name or code of the subject as described in certificate application and in accordance with ISO 3166-2 [15]	(optional; mandatory if L-attribute is missing)
	Country (C)	Country code of the Subscriber in accordance with ISO 3166-1 [15]	(mandatory)
Valid from			Start of certificate validity.
Valid to			End of certificate validity.
Authority Key Identifier	7C6F0A6F130FD98C246F2634F35C6B436DB723B6		(mandatory)
Subject Key Identifier	SHA-1 hash value of Public Key according to RFC5280 chapter 4.2.1.2		(mandatory)
Key Usage	digitalSignature, keyEncipherment		(mandatory)
Extended Key Usage	serverAuth, clientAuth		(mandatory)
Subject Alternative Name	At least subject FQDN		(mandatory) 1 to n DNS names. Wildcard entries are defined as *.FQDN.
Certificate Policies	Policy OID: 2.23.140.1.2.2 (CABF OV) Policy OID: 0.4.0.2042.1.7 (ETSI OVCP) Policy OID: 2.16.756.1.89.2.1.2 (SwissSign OVCP) CPSUri: https://repository.swissign.com/SwissSign_CPS_TLS.pdf		(mandatory)
CRL Distribution Points	http://crl.swissign.ch/cdp-96b62f5a-6b73-4da4-87f7-ce4002c1cd34		(mandatory) HTTP-URL of the CRL Distribution point
Authority Information Access	calssuers	http://aia.swissign.ch/air-0f2bf9a5-dd37-48c9-a85b-12acdc8b8e45	(mandatory)
	OCSP	http://ocsp.swissign.ch/sign/ocs-aacced5-66e8-4069-9b1b-fd29ab73efec	(mandatory)
SCT list	List of Signed Certificate Timestamps (SCT)		SCTs are provided by the CT-logs

		accessed.
--	--	-----------

3.2.5 TLS Domain Validated Certificates (DVCP) issued by SwissSign RSA TLS DV ICA 2021 - 1

Field/Extension	Values		Comment
Version	Version 3		Certificate format version
SignatureAlgorithm	SHA256withRSAEncryption		
Issuer Name	CN=SwissSign RSA TLS DV ICA 2021 – 1 O = SwissSign AG C = CH		Unique issuer distinguished name of the certificate
Subject DN			Unique subject distinguished name of the certificate
	Common Name (CN)	FQDN	(mandatory)
Valid from			Start of certificate validity.
Valid to			End of certificate validity.
Authority Key Identifier	3C9E527903636F4F9C811BD328700C245AEAA587		(mandatory)
Subject Key Identifier	SHA-1 hash value of Public Key according to RFC5280 chapter 4.2.1.2		(mandatory)
Key Usage	digitalSignature, keyEncipherment		(mandatory)
Extended Key Usage	serverAuth, clientAuth		(mandatory)
Subject Alternative Name	At least subject FQDN		(mandatory) 1 to 200 Alternative DNS names. Wildcard defined as *.FQDN
Certificate Policies	Policy OID: 2.16.756.1.89.2.1.1 CPSUri: https://repository.swisssign.com/SwissSign_CPS_TLS.pdf Policy OID: 0.4.0.2042.1.6 (DVCP) Policy OID: 2.23.140.1.2.1 (CAB-DV)		(mandatory)
CRL Distribution Points	http://crl.swisssign.net/3C9E527903636F4F9C811BD328700C245AEAA587 ldap://directory.swisssign.net/CN=3C9E527903636F4F9C811BD328700C245AEAA587=SwissSign%2CC=CH?certificateRevocationList?base?objectClass=cRLDistributionPoint		(mandatory) URLs of the CRL Distribution points (LDAP and/or HTTP)
Authority Information Access	caIssuers	http://swisssign.net/cgi-bin/authority/download/3C9E527903636F4F9C811BD328700C245AEAA587	(mandatory)
	OCSP	http://ocsp.swisssign.net/3C9E527903636F4F9C811BD328700C245AEAA587	(mandatory)
SCT list	List of Signed Certificate Timestamps (SCT)		SCTs are provided by the CT-logs accessed.

3.2.6 TLS Domain Validated Certificates (DVCP) issued by SwissSign RSA TLS DV ICA 2022 - 1

Field/Extension	Values		Comment
Version	Version 3		Certificate format version
SignatureAlgorithm	SHA256withRSAEncryption		
Issuer Name	CN=SwissSign RSA TLS DV ICA 2022 - 1 O = SwissSign AG C = CH		Unique issuer distinguished name of the certificate
Subject DN			Unique subject distinguished name of the certificate
	Common Name (CN)	FQDN	(mandatory)
Valid from			Start of certificate validity.
Valid to			End of certificate validity.
Authority Key Identifier	EBBD7F49938CC9EECA2BAF71CD267F083B1EADE		(mandatory)
Subject Key Identifier	SHA-1 hash value of Public Key according to RFC5280 chapter 4.2.1.2		(mandatory)
Key Usage	digitalSignature, keyEncipherment		(mandatory)
Extended Key Usage	serverAuth, clientAuth		(mandatory)
Subject Alternative Name	At least subject FQDN		(mandatory) 1 to n DNS names. Wildcard is defined as *.FQDN.
Certificate Policies	Policy OID: 2.23.140.1.2.1 (CABF DV) Policy OID: 0.4.0.2042.1.6 (ETSI DVCP) Policy OID: 2.16.756.1.89.2.1.1 (SwissSign DVCP) CPSUri: https://repository.swissign.com/SwissSign_CPS_TLS.pdf		(mandatory)
CRL Distribution Points	http://crl.swissign.ch/cdp-679723b2-8641-4642-8500-f6d2ff37e6ba		(mandatory) HTTP-URL of the CRL Distribution point
Authority Information Access	caIssuers	http://aia.swissign.ch/air-1b863385-f4a9-47fa-88a5-2a5abfd4a167	(mandatory)
	OCSP	http://ocsp.swissign.ch/sign/ocs-aacced5-66e8-4069-9b1b-fd29ab73efec	(mandatory)
SCT list	List of Signed Certificate Timestamps (SCT)		SCTs are provided by the CT-logs accessed.

4. Certificate Profiles of the SwissSign Silver CA - G2 PKI

The following certificate profiles are compiled in accordance with ITU-T X.509 version 3, IETF RFC 5280 [10], clause 6.6 of ETSI EN 319 411-1 [7], clause 7 of BRG [8] and clause 9 of EVCG [9].

4.1 Root CA

4.1.1 SwissSign Silver CA - G2

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	4F1BD42F54BB2F4B	Unique serial number of the certificate
SignatureAlgorithm	sha1WithRSAEncryption	
Issuer Distinguished name	CN = SwissSign Silver CA - G2 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN = SwissSign Silver CA - G2 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	25 Oct 2006 08:32:46 UTC	Start of certificate validity.
Valid to	25 Oct 2036 08:32:46 UTC	End of certificate validity.
Basic Constraints	CA: TRUE	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	17A0CDC1E441B63A5B3BCB459DBD1CC298FA8658	
Authority Key Identifier	17A0CDC1E441B63A5B3BCB459DBD1CC298FA8658	
Extended Key Usage	not included in this Root CA certificate	
Name Constraints	not included in this Root CA certificate	
Certificate Policies	Policy OID: 2.16.756.1.89.1.3.1.1 CPSURI: http://repository.swissign.com/	
CRL Distribution Points	not included in this Root CA certificate	
Authority Information Access	not included in this Root CA certificate	

The Root CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	9BAAE59F56EE21CB435ABE2593DFA7F040D11DCB
SHA256 Fingerprint	BE6C4DA2BBB9BA59B6F3939768374246C3C005993FA98F020D1DEDBED48A81D5

4.2 Issuing CAs

The Issuing CA issued before the effective date of this CPR and the corresponding CP and CPS does not include the certificate extensions Extended Key Usage and Name Constraints.

The Issuing CA issued after the effective date of this CPR and the corresponding CP and CPS includes mandatory the certificate extension Extended Key Usage with id-kp-serverAuth and id-kp-clientAuth. The extension Name Constraints may be included optional.

4.2.1 SwissSign Server Silver CA 2014 - G22

Please note: No new TLS certificates are issued under the SwissSign Server SilverCA 2014 - G22.

Field/Extension	Value(s)	Comment
Version	Version 3	Certificate format version
Serial Number	006BC318C92ACD1763EB41C86FAF47F7	Unique serial number of the certificate
SignatureAlgorithm	sha256WithRSAEncryption	
Issuer Distinguished name	CN = SwissSign Silver CA - G2 O = SwissSign AG C = CH	Unique issuer distinguished name of the certificate
Subject Distinguished name	CN = SwissSign Server Silver CA 2014 - G22 O = SwissSign AG C = CH	Unique subject distinguished name of the certificate
Valid from	19 Sep 2014 20:36:43 UTC	Start of certificate validity.
Valid to	15 Sep 2029 20:36:43 UTC	End of certificate validity.
Basic Constraints	CA:TRUE, pathlen:0	Critical
Key Usage	Certificate Sign, CRL Sign	Critical
Subject Key Identifier	DBBCBF821859DC69FAF8ABAA834D771D0BB08BD8	
Authority Key Identifier	17A0CDC1E441B63A5B3BCB459DBD1CC298FA8658	
Extended Key Usage	not included in this Issuing CA certificate	
Name Constraints	not included in this Issuing CA certificate	
Certificate Policies	Policy OID: 2.16.756.1.89.1.3.1.6 CPSURI: http://repository.swissign.com/SwissSign-Silver-CP-CPS.pdf	
CRL Distribution Points	http://crl.swissign.net/17A0CDC1E441B63A5B3BCB459DBD1CC298FA8658 ldap://directory.swissign.net/CN=17A0CDC1E441B63A5B3BCB459DBD1CC298FA8658%2CO=SwissSign%2CC=CH?certific	

	ateRevocationList?base?objectClass=cRLDistributionPoint		
Authority Information Access	caIssuers	http://swisssign.net/cgi-bin/authority/download/17A0CDC1E441B63A5B3BCB459DBD1CC298FA8658	
	OCSP	http://ocsp.swisssign.net/17A0CDC1E441B63A5B3BCB459DBD1CC298FA8658	

The Issuing CA certificate is identified via the following fingerprints:

SHA1 Fingerprint	55BE467AA44BF0C15D4BCBD06BDCA24BBA941E13
SHA256 Fingerprint	67F91F26F5BFBFA48738BE0678DD2F8F75F7B80761D5656783CA8B920AAA5659

4.3 End-entity certificates

All TLS end-entity certificates issued under the Silver G2 Root CA G2 have expired.

5. OCSP Profile

5.1 OCSP Response Profile

SwissSign OCSP v1 is built according to RFC 6960 [13].

OCSP response Field	Values	Comment
Response Status	0 for successful or error code	Result of the query
Response Type	id-pkix-ocsp-basic	Type of the response(mandatory)
Version	V1	(mandatory)
Responder Id	DN	Distinguished name of the OCSP responder (mandatory)
Produced At	Date	Date when the OCSP response was signed (mandatory)
CertID	Unique ID for requested certificate	The CertID from the OCSP request is included in the response.
Cert Status	Good, revoked, or unknown	Indicates the response for certificate status (mandatory)
Revocation Time		Date of revocation of certificate January 1, 1970 for non-issued certificates according to chapter 2.2 of RFC6960 (optional)
revocationReason		Optional for end-entity certificates. If present, the possible values are as follows: <ul style="list-style-type: none"> - unspecified" (0), - keyCompromise (1), - affiliationChanged (3), - superseded (4), - cessationOfOperation (5) or - privilegeWithdrawn (9) For CA certificates: Only present if issuing CA is revoked The extension is set as described in BRG clause 7.2.2 and 7.3
This Update		Date when the status was queried from database (mandatory)
Next Update		The time at or before which newer information will be available about the status of the certificate. The OCSP response is valid for 3 days. The information provided is updated at least 8 hours prior to the nextUpdate. For Root and Issuing CA: The OCSP response is valid for 3 days. The information provided is updated at least 8 hours prior to the nextUpdate.
Nonce		Value is copied from request if it is included. (optional)
Extended Revoked Definition		Extended revoked extension according to chapter 2.2 and 4.4.8 of RFC6960 (optional)

SCT	SCTs for requested certificate	Optional, the Signed Certificate Timestamps (SCTs) for the requested certificate may be included in the response.
Signature Algorithm:	sha256WithRSAEncryption	(mandatory)
Certificate		Details of certificate used to sign the response (mandatory)

The OCSP extensions used are specified below:

- Nonce

The ArchiveCutOff extension is not set in the OCSP responses.

5.2 OCSP Responder Certificate

Field/Extension	Value(s)	Comment	
Version	Version 3	Certificate format version	
Serial Number		Unique serial number of the certificate	
SignatureAlgorithm	sha256WithRSAEncryption		
Issuer Distinguished name		Unique issuer distinguished name of the certificate (Root CA for the Issuing CA and the Issuing CA for the end entity certificate)	
Subject Distinguished name	CommonName	Unique subject distinguished name of the OCSP Signer certificate. The CN should include the string "OCSP" and the reference to the Issuer. The CN may contain an ID unique to the specific OCSP responder certificate.	
	OrganizationName (O)		SwissSign AG
	Country (C)		CH
Valid from		Start of certificate validity.	
Valid to		End of certificate validity.	
Key Usage	digitalSignature	(mandatory)	
Subject Key Identifier		(mandatory)	
Authority Key Identifier		(mandatory)	
Extended Key Usage	id-kp-ocspSigning	(mandatory)	
Certificate Policies	Not included in this certificate		
ocspNoCheck		(mandatory)	
CRL Distribution Points	Not included in this certificate		
Authority Information Access	Not included in this certificate		

6. CRL Profile

SwissSign issues CRLs in accordance to the guides of RFC 5280 [10].

The CRL profile is applicable to the Root CA and its subordinated issuing CAs.

Extension Attribute	Values	Comment
Version Number	V2	CRL format version pursuant to X.509.
Signature Algorithm	sha256WithRSAEncryption	Hash method and the signature algorithm used to sign the CRL pursuant to RFC 5280.
Issuer Distinguished Name		Unique issuer distinguished name of the certificate
Effective Date		Date and time of CRL issuance.
Next Update		Date and time of issuance of the next CRL. Maximum validity for CARL of the Root CA is 1 year after the publication of the CRL. The validity for CRLs provided by the Issuing CAs is 10 days. If it is the last CRL issued for those certificates in the scope of this CRL, the nextUpdate field in the CRL will be set to "99991231235959Z" as required by IETF RFC 5280.
Revocation List Number		CRL sequence number
Revoked Certificates:		List of the serial numbers and revocation dates of the revoked Certificate.
Serial Number		Serial number of the revoked certificate.
Revocation Date		Date and time of revocation of the certificate.
reasonCode		Reason code for certificate revocation. Optional for end-entity certificates (please note: reason code 0 for "unspecified" is not set). If present, the possible values are as follows: <ul style="list-style-type: none"> - keyCompromise (1), - affiliationChanged (3), - superseded (4), - cessationOfOperation (5) or - privilegeWithdrawn (9) For CARL issued by the Root CA - reasonCode extension is present and not marked critical - possible reason codes in CARL: - cACompromise (2), or - cessationOfOperation (5)
Signature		Confirmation signature of the authority issued the CRL.–
Authority Key Identifier		The Authority key identifier of the Issing CA

The ExpiredCertsOnCRL extension is not set as expired certificates are removed from the CRL.

7. References

- [1] SwissSign CP EV - Certificate Policy for Extended Validation Certificates , published under: <https://repository.swissign.com>
- [2] SwissSign CP OV - Certificate Policy for Organization Validated Certificates, published under: <https://repository.swissign.com>
- [3] SwissSign CP DV - Certificate Policy for Domain Validated Certificates, published under: <https://repository.swissign.com>
- [4] SwissSign CPR TLS - Certificate, CRL and OCSP Profiles for TLS Certificates, published under:
<https://repository.swissign.com>
- [5] SwissSign CPS TLS - Certification Practice Statement for TLS certificates, published under: <https://repository.swissign.com>
- [6] SwissSign TSPS - Trust Services Practice Statement, published under: <https://repository.swissign.com>
- [7] ETSI EN 319 411-1 v1.2.2 (2018-04) Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General requirements;
- [8] BRG: current version of Baseline Requirements for the Issuance and Management of Publicly-Trusted TLS Server Certificates;
- [9] EVCG: current version of the Guidelines For The Issuance And Management Of Extended Validation Certificates;
- [10] RFC 5280 - Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile;
- [11] RFC 3647 – Request For Comments 3647, Internet X.509 Public Key Infrastructure, Certificate Policy and Certification Practices Framework;
- [12] RFC 4055 - Additional Algorithms and Identifiers for RSA Cryptography for use in the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile;
- [13] RFC 6960 – X.509 Internet Public Key Infrastructure Online Certificate Status Protocol – OCSP;
- [14] RFC 6962 – Certificate Transparency;
- [15] ISO 3166 Codes;